



Tasnim
Pharmaceutical Co.

ERX : 71178

Intesa[®] 1200


Mesalazine Extended Release

Each Tablet Contains:

Mesalazine 1200 mg



100 Extended Release
Tablets



A Trust Toward Healing

Start



Click Here To Start


[CONTACT US](#)

[GUIDE](#)

If you can't use the buttons, you can scroll down to the bottom of document to view the guide.

Copyright © 2022 Tasnim - All Rights Reserved.

Designed & Executed by ClickBan Co.



Menu

SELECT AN OPTION TO CONTINUE;



Home




About Intesa



Details



Category & Indication



Mechanism Of Action



Adverse Effects



Articles



Contact Tasnim



Guide

Intesa[®] 1200mg
Smart Catalog



Home

Intesa[®] 1200mg

ERX : 71178

Drug Brand | Intesa 1200mg

Generic Name | Mesalazine

Drug form | Tablet E.R.
1200mg

Package | 10 blisters of 10 extended
release tablets in a box
with leaflet

[Start Exploring](#)

Problem with buttons? [View Guide](#)



What is Intesa[®] 1200mg?

- Intesa[®] tablet contain 1200mg extended release mesalazine, which is an anti-inflammatory agent for the treatment of a flare-up ulcerative colitis and/or to help maintain remission (mucosal healing) in patient with ulcerative colitis.



Details

Breast feeding & pregnancy

View Pictures

More information



Breast Feeding & Pregnancy

- Low concentration of Intesa[®] and higher concentrations of its N-acetyl metabolite have been detected in human breast milk. The clinical significance of this has not been determined and there is limited experience of nursing women using -5ASA. B (no adequate and well-controlled studies in pregnant women)



Pictures





1

2

>



Pictures



More Information

Recommended dosage in patient
for treatment of ulcerative colitis

With or without food

Comparative Dissolution Curve

Complete tablet dissolution for
MMX mesalazine or Asacol[®] tablets

Target site of release



Recommended dosage in patient for treatment of ulcerative colitis

- The usual daily dose for adults 2.4 g to 4.8 g (two to four tablets) taken once a day for a flare-up of ulcerative colitis.

The usual daily dose for adults to help maintain remission (mucosal healing) is 2.4 g (two tablets) taken once a day.

1

2

>



Recommended dosage in patient for treatment of ulcerative colitis

Patients	Once Daily Dosage	
	Week 0 to Week 8	After Week 8
Adult	2.4g to 4.8g (two to four tablets)	2.4 g (two tablets)
Children (weighing more than 50 kg and age 10 years or older)	2.4g to 4.8g (two to four tablets)	2.4 g (two tablets)

<

1



2

>







with or without food


- Intesa[®] 1200mg should be taken with food. The tablets should be swallowed whole with liquid and should not be chewed or crushed.



Comparative Dissolution Curve






Complete tablet dissolution for MMX mesalazine or Asacol® tablets



- Complete tablet dissolution for MMX mesalazine or Asacol® tablets radiolabelled with $^{53}\text{Sm}203$ in 8 healthy volunteers given a single tablet. Abbreviations: S, stomach; PSB, proximal small bowel; MSB, mid small bowel; DSB, distal small bowel; ICJ, ileocaecal junction; AC, ascending colon; HF, hepatic flexure; TC, transverse colon; SF, splenic flexure; DC, descending colon

Target site of release

Terminal ileum & colon




Multi matrix system technology(MMX)

- Once-daily dosing may help promote compliance
- Intesa[®] 1200mg tablet use a technology called Multi Matrix System (MMX), designed to delay and deliver effective concentrations of mesalazine through out the colon and rectum over an extended time.





Mechanism of action

- The mechanism of action of Intesa is unknown, but it may be due to inhibition of prostaglandin and leukotriene synthesis in the gastrointestinal mucosa. So it is possible that 5-ASA diminishes inflammation by blocking production of Arachidonic acid metabolites.



Adverse Effects

- Headache, diarrhea, Upper Abdominal Pain, Nausea, Sinusitis, Nasopharyngitis, Influenza-like illness



Articles

Leaflet



A Review of Multimatrix System (MMX) Mesalazine in the Management of Ulcerative Colitis



Once-Daily MMX Mesalamine in the Management of Ulcerative Colitis



MMX® technology and its applications in gastrointestinal diseases



References



Contact Us



+98 21 88 17 4810



tasnimpharmaceutical



tasnimpharma.com



info@tasnimpharma.com



NO. 3 , 14th East Alley ,
Beyhaghi Blvd. , Argentina Sq. ,
Tehran , Iran

TAP FOR DIRECTIONS ↗

GUIDE

If you have confliotions while interacting with this catalog, this guide will help you.

If you are using iPhone, Mac OS or Windows, you probably won't have any problem with the buttons.

But if you are using an Android device, you must have [Google Drive](#) installed and updated.

In the next steps you'll see the frequently used buttons that are important.

SKIP

NEXT STEP

Problem with buttons? [View Guide](#)





Here you can see the navigation bar which is fixed on left in the document.

Intesa® 1200mg

ERX : 71178

Drug Brand | Intesa 1200mg

You can tap on each of these icons to navigate to its page.

Generic Name | Mesalazine

Drug form | Tablet E.R.
1200mg

Package | 10 blisters of 10 extended
release tablets in a box
with leaflet

SKIP

NEXT STEP

Problem with buttons? [View Guide](#)





Tap this icon to go back to previous page or menu.

Intesa® 1200mg

ERX : 71178

Drug Brand | Intesa 1200mg

GO BACK TO THE CATALOG

Drug form | Tablet E.R.
1200mg

Tap this icon to go to the next page.

Package | 10 blisters of 10 extended release tablets in a box with leaflet

Start Exploring

Problem with buttons? [View Guide](#)

