


ERX: 70328




Intesa® Mesalazine Extended Release

Each capsule contains: Mesalazine 500mg



30 Extended Release Capsules

500




If you can't use the buttons, you can scroll down to the bottom of document to view the guide.

Copyright © 2022 Tasnim - All Rights Reserved.

Designed & Executed by ClickBan Co.



SELECT AN OPTION TO CONTINUE;





ntes

Omo

art

Cataloc



Category & Indication



Mechanism Of Action



Adverse Effects



Articles

Contact Tasnim









Capsule E.R 500mg

Package

30 Capsule in3 blisters

Start Exploring

Problem with buttons? <u>View Guide</u>







Extended-release capsule consisting of the 5-ASA compound.

Intesa® 500mg?

What is

5-ASA inside the pellet





is slowly released into the intestine as well as the colon.

 Effective in treating inflammation in the small intestine and the colon.













Dosage & Administration


Breast feeding & pregnancy


View Pictures

More information









7







 In acute attack initially, up to 4g daily in 2 to 4 divided doses. Intesa may be taken without regard to meals.








Breast Feeding Pregnancy

 Low concentration of Intesa[®] and higher concentrations of it N-acetyl metabolite have been detected in human breast milk. The clinical significance of this has not been determined and there is limited experience of nursing women using -5ASA. B (no adequate and well-controlled studies in pregnant women)



















Target site of release





Algorithm for the treatment of inflammatory bowel disease (IBD)


Treatment of type inflammatory bowel disease (IBD)

Comparative Dissolution profile of Intesa® 500 mg VS Pentasa 500 mg














Treatment of type inflammatory bowel disease (IBD)

R


*Ref: harison book

Infliximab/ adalimumab/ golimumab/ vedolizumab









6-Mercaptopurine/ azathioprine

Glucocorticoid oral


Glucocorticoid rectal


5-ASA oral and/or rectal

Mild to moderate Ulcerative colitis
















limit its use to patients with mild Crohn disease with limited ileocolonic involvement who prefer to avoid glucocorticoids. For such patients, a slow release, oral -5ASA agent is suitable.




















Crohn's Disease: A Meta-Analysis of Double-Blind, Placebo-Controlled Trials R

PDF

PDF



Mesalamine in the treatment and maintenance of remission of ulcerative colitis

References











tasnimpharma.com





info@tasnimpharma.com

NO. 3, 14th East Alley,
Beyhaghi Blvd., Argentina Sq.,
Tehran, Iran

TAP FOR DIRECTIONS



If you have conflictions while interacting with this catalog, this guide will help you.

If you are using iPhone, Mac OS or Windows, you probably won't have any problem with the buttons. But if you are using an Android device, you must have Google Drive installed and Drug updated.

In the next steps you'll see the frequently used buttons that have a peare important.

SKIP

NEXT STEP

Problem with buttons? View Guide


A Tasnim

Pharmaceutical Co.

Here you can see the navigation bar which is fixed on left in the document.

Intesa® 500mg ERX : 70328

You can tap on each of these icons to navigate to its page.





1

Pharmaceutical Co.



Intesa® 500mg ERX : 70328

Drug Brand

Intesa

GO BACK TO THE CATALOG

Drug form

Capsule E.R 500mg

Tap this icon to go to the next page. Capsule in Backage 3 blisters

Start Explor

Problem with buttons? View Guide

A Tasnim

Pharmaceutical Co.