



Tasnim
Pharmaceutical Co.

ERX : 712777

یوسناید[®] ۳
بودزوناید پیوسته رهش
هر کپسول حاوی:
بودزوناید ۳ میلی گرم




۶۰ کپسول پیوسته رهش



Calmness After The Flare

Start



Click Here To Start


[CONTACT US](#)

[GUIDE](#)

If you can't use the buttons, you can scroll down to the bottom of document to view the guide.

Copyright © 2022 Tasnim - All Rights Reserved.

Designed & Executed by ClickBan Co.



Menu

SELECT AN OPTION TO CONTINUE;



Home




About Usenide



Details



Category & Indication



Mechanism Of Action



Adverse Effects



Articles



Contact Tasnim



Guide

Usenide[®] 3
Smart Catalog



Home

Usenide[®]

ERX : 71277

Drug Brand

Usenide[®] 3mg

Generic Name

Budesonide

Drug form




Capsule E.R 3mg

Package

60 Capsule in a box
with leaflet

[Start Exploring](#)

Problem with buttons? [View Guide](#)



What is Usenide[®] 3mg?

- Usenide[®] 3mg capsules contain the active substance budesonide. This belongs to a group of medicines called 'corticosteroids'.





Details

Dosage & Administration

Breast feeding & pregnancy

View Pictures

More information



Dosage & Administration

- The recommended dose for an attack of Crohn's disease is 3 capsules in the morning before breakfast. Normally, you will take this number of capsules for up to 8 weeks. Your doctor will then gradually reduce the dose. The medicine will usually have its full effect within 2 to 4 weeks.

1

2

>






Dosage & Administration

- Continue to take Usenide Capsules as your doctor has told you, even if you start feeling better.



Breast Feeding & Pregnancy

Pregnancy Category C



Usenide®

Pictures



1

2




>



Tasnim
Pharmaceutical Co.



Pictures





More Information

Off-label use

USENIDE Capsules with food and drink?

Dissolution Curve comparison of Usenide[®] (Budesonide) 3 mg made by Tasnim with Entocort E.C[®] 3 mg made by AstraZeneca






Off-label use

- Hepatitis, autoimmune
Capsule (delayed-release): 9 mg/day in 3 divided doses; may reduce to 6 mg/day in 2 divided doses following remission.
- Microscopic colitis
Capsule (delayed-release): 9 mg once daily for 6 to 8 weeks. After clinical remission (<3 stools daily and no watery stools) and following at least 8 weeks of therapy, some experts suggest to gradually taper the dose to 6 mg for 2 weeks, followed by 3 mg for 2 weeks, then discontinue.




Usenide capsules with food and drink?

- Do not drink grapefruit juice while you are taking Usenide Capsules. It can affect the way the medicine works.





**Dissolution Curve
comparison of Usenide[®]
(Budesonide) 3 mg made
by Tasnim with Entocort
E.C[®] 3mg made by
AstraZeneca**



ECX™ technology

- ECX™ controlled release technology is designed to ensure controlled release of the active ingredient throughout the ileum, the ascending and transverse colon.




ECX™ technology

- ECX technology has been successfully applied to multi-particulate dosage forms. In such systems, a capsule is filled with pellets made with the ECX™ controlled release technology. In the stomach, the capsule dissolves releasing the pellets.






ECX™ technology

- The enteric coating of the pellets, which does not dissolve until the pH in the small intestine reaches 5.5, is designed to ensure that the active ingredient in the pellet is protected from early release in the stomach.





ECX[®] delivery system

- ECX controlled release technology is designed to ensure a gradual, time-dependent, controlled release of the active ingredient from the pellets along the ileum, the ascending colon and transverse colon.



Adverse Effects

- high blood sugar levels
- cataracts
- weight gain
- stretch marks
- acne
- growth disturbance in children
- rounding of the face (“moon face”)
- increased facial hair
- insomnia (difficulty sleeping)



Articles

Leaflet






The use of budesonide in the treatment of autoimmune hepatitis in Canada



Budesonide Taper Calendar



References



Contact Us



+98 21 88 17 4810



tasnimpharmaceutical



tasnimpharma.com



info@tasnimpharma.com



NO. 3 , 14th East Alley ,
Beyhaghi Blvd. , Argentina Sq. ,
Tehran , Iran

TAP FOR DIRECTIONS 

GUIDE

If you have conflixtions while interacting with this catalog, this guide will help you.

If you are using iPhone, Mac OS or Windows, you probably won't have any problem with the buttons.

But if you are using an Android device, you must have **Google Drive** installed and updated.

In the next steps you'll see the frequently used buttons that are important.

SKIP

NEXT STEP

Problem with buttons? [View Guide](#)





Here you can see the **navigation bar** which is fixed on left in the document.



Usenide®

ERX : 71277




Drug Brand | Usenide® 3mg

You can tap on each of these icons to navigate to its page.



Generic Name | Budesonide



Drug form | Capsule E.R 3mg



Package | 60 Capsule in a box with leaflet



SKIP

NEXT STEP



Start Exploring

Problem with buttons? [View Guide](#)



Usenide®

Tap this icon to go back to **previous page** or menu.

Usenide®

ERX : 71277

Drug Brand | Usenide® 3mg

GO BACK TO THE CATALOG

Drug form | Capsule E.R 3mg

Tap this icon to go to the **next page**.

Package | Capsule in a box with leaflet

Start Exploring

Problem with buttons? [View Guide](#)

 **Tasnim**
Pharmaceutical Co.

